

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



TOTAL ATTECATION PUBLISH	HED (JNDER THE PATENT COOPERATION TREATY (PCT)
(51) International Patent Classification 5: C10L 1/02, 1/10, 1/18	A1	(11) International Publication Number: WO 95/02654
, ==,,==		(43) International Publication Date: 26 January 1995 (26.01.95)
(21) International Application Number: PCT/AU9	34/00 40	
(22) International Filing Date: 15 July 1994 (1.	5.07.94	KR, KZ, LK, LT, LU, LV, MD, MG, MN, MW, NT, NO.
(30) Priority Data: PM0004 16 July 1993 (16.07.93)	ΙA	UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NI, PT, SF), CADI served (RE
(71) Applicant (for all designated States except US): VICTO CHEMICAL INTERNATIONAL PTY LTD [A A.C.N. 006 083 012, 37-49 Appleton Street, Ric. VIC 3121 (AU).	TT/ATT	Doublinks 3
(72) Inventors; and (75) Inventors/Applicants (for US only): KILLICK, I William [AU/AU]; 14 Dallas Street, Mount Wa VIC 3149 (AU). WRIGLEY, Peter, Ronald [AU 28 Raleigh Street, Blackburn South, VIC 3130 PARNABY, Lawrence, Harold [AU/AU]; 20 Baratta Blackburn South, VIC 3130 (AU).	verley, U/AU];	
74) Agent: FREEHILL PATENT & TRADE MARK SERV Level 47, 101 Collins Street, Melbourne, VIC 3000 (/ICES; (AU).	

(54) Title: FUEL BLENDS

(57) Abstract

A fuel blend composition including a hydrocarbon liquid as defined, up to 20 % of the total composition of ethanol and/or n-propanol and up to 15 % by volume of the total composition of a fatty acid and/or organic ester.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JР	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR.	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	u	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
ÐK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
Ħ	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Viet Nam
GA	Gabon			***	

FUEL BLENDS

Field of the Invention

This invention relates to fuel blend compositions including a hydrocarbon liquid, low-alkyl alcohol and fatty acid and/or organic ester. Additionally, the invention relates to a fuel additive composition including a low-alkyl alcohol and fatty acid and/or organic ester.

Background to the Invention

Diesel oil, due to its cost and availability, continues to be the backbone for industry around the world being the principal fuel for use in trucks, ships, trains, some cars and other automotive equipment and different stationary types of engines.

- It is well recognised that the combustion of diesel fuel in engines can be hazardous to the environment. In particular, the partial combustion of diesel fuel to carbon, carbon monoxide, and nitrogen oxides creates noxious black exhaust gases which are pollutants. This problem is particularly observable in trucks and other automotive vehicles where noxious black exhaust gases can be seen being released into the environment.
- Attempts have been made over the years to address the environmental concerns associated with exhaust fumes from engines by using alcohols such as methanol (methyl alcohol) or ethanol (ethyl alcohol) as fuels. Such attempts, for instance, have generally established that 15% of ethanol and 85% diesel oil provides an acceptable burning capacity without the necessity of modifying existing diesel engines.
- The problem with using ethanol or methanol as a fuel in conjunction with diesel oil is that ethanol or methanol are immiscible with diesel oil, that is, they cannot be uniformly mixed or blended into one phase without rapid separation into their component parts. Since they cannot be uniformly mixed into one phase and stored for easy use, the components must be mixed just prior to use by, for example, having independent fuel tanks with the components independently pumped and mixed just before the combined fuel is injected into the fuel chamber. Such a system is currently being used in the bus fleet of the Des Moines Transit Authority, Iowa, USA.

One attempt to address the problem of immiscibility was to form an emulsion of the diesel oil and ethanol using an emulsifier. An example of this is in Australian Patent No. 544,728 which discloses a composition having 84.5% diesel oil, 15% hydrated ethanol and 0.5% emulsifier. The emulsifier is of the styrene butadiene co-polymer type in admixture with a high molecular weight polyethylene glycol dissolved in xylene. This mixture can show both batch to batch variation and instability as the diesel and ethanol separate in the fuel tank.

An attempt has also been made to address the problem of immiscibility by forming a blend comprising a petroleum fuel, methanol and a higher alcohol having 10-16 carbon atoms as a solvent for the petroleum fuel and methanol. An example of this is disclosed in US Patent No. 4,527,995.

A further attempt to address the problem of immiscibility is disclosed in UK Patent Application No. GB 2,090,611 where combustible compositions are claimed containing gas oils, methanol and a fatty acid ester for use in diesel engines. The claimed combustible compositions comprises from 20% to 90% by volume of at least one gas oil, from 5% to 50% by volume of methanol and from 5% to 60% by volume of at least one (C₁ - C₃) alkyl ester of a (C₆ - C₂₂) saturated or unsaturated fatty acid. The specification states that alcohols heavier than methanol such as butanol must be added in substantial portions and do not improve the cetane number.

The article entitled "Diesel Oil Substitution by Processed Plant Oils - Engine and Vehicle Results" published in 1982 by two authors from Volkswagen do Brasil S.A. Brazil, compares tests conducted using a straight methyl ester of soya bean oil (MESO) as a fuel with a 75-25 gasoil-MESO blend and a 68-23-9 gasoil-MESO-ethanol (anhydrous) blend. The article provides that plant-oil mono-esters used as gasoil extenders serve as co-solvents between gasoil and ethanol, thus permitting ready use of otherwise-incompatible ethanol. However, the article provides that an increase in proportion of ester in the gasoil from a 25% ester content onwards results in the ethanol being substantially compatible in the gasoil.

In subsequent investigations leading to the present invention, it has surprisingly been found that fatty acids and/or organic esters having up to 15% by volume in the fuel blend composition function as a coupling agent between the hydrocarbon liquid and ethanol and/or n-propanol to form a single phase composition which is not prone to separation.

Summary of the Invention

25

According to a first embodiment of the invention, there is provided a fuel blend composition including a hydrocarbon liquid (as hereinafter defined), up to 20% by volume of the total composition of ethanol and/or n-propanol and up to 15% by volume of the total composition of a fatty acid and/or organic ester.

In a preferred embodiment of the invention, the fatty acid and/or organic ester component is between 1.5% and 11% by volume.

In another preferred embodiment of the invention, the fatty acid and/or organic ester component is between 2% and 5% by volume.

The fatty acid component is derived preferably from natural oils and fats such as lard, tallow and vegetable oils, for example, canola, palm, corn, sunflower and soya bean oils or from specific blends commercially produced by fatty acid manufacturers or from fatty acids made by synthetic means or mixtures thereof. The fatty acid is preferably "oleic acid". For those skilled in the art, this is understood to mean the commercially available liquid fatty acids in which the mono-unsaturated fatty acid is significantly present.

The organic ester component is selected preferably from fatty esters such as ethyl oleate, ethyl tallowate, iso-propyl oleate, butyl oleate, methyl oleate or methyl cocoate and/or other aromatic esters such as butyl benzoate and/or other aliphatic esters such as ethyl acetate or mixtures thereof and/or dicarboxylic acid esters such as dioctyl maleate.

In another preferred embodiment of the invention, the fuel blend composition also includes methanol, butanol, iso-butanol, tert-butanol or mixtures thereof.

In a preferred embodiment of the invention, the hydrocarbon liquid (as hereinafter defined) component is at least 40% by volume of the total composition and more preferably between 75% and 88%.

The term hydrocarbon liquid, as used in the specification, means diesel oil and gas oil and mixtures thereof.

According to a preferred embodiment of the invention, there is provided a process for producing a single phase fuel blend composition including the steps of:

- 20 (a) adding the ethanol and/or n-propanol to the hydrocarbon liquid to form a mixture at the alcohol phase and an oil phase and thereafter;
 - (b) adding the mixture of step (a) to the fatty acid and/or organic ester; and
 - (c) mixing the resultant mixture until a single phase has been formed.

According to a further embodiment of the invention, there is provided a fuel additive composition including ethanol and/or n-propanol and a fatty acid and/or organic ester in respective amounts ranging from a ratio of 25:1 to 1:1. Up to 35% of the fuel additive composition is added to the hydrocarbon liquid to form a single phase composition.

In a further preferred embodiment of the invention, a process to produce a single phase fuel blend composition is provided by:

- 30 (a) adding the ethanol and/or n-propanol and the fatty acid and/or portion of organic ester to form the additive composition and thereafter;
 - (b) adding the mixture of (a) to the hydrocarbon liquid; and
 - (c) mixing the resultant mixture until a single phase has been formed.

4

Examples

The carboxylate esters used in the examples are those manufactured at the premises of the Victorian Chemical Co., Richmond, Victoria, Australia and are sold under the "Esterol" brand name. The ethyl acetate was purchased from BP Chemicals Australia. The diesel oil is that purchased from pumps of major Australian oil companies such as Caltex Petroleum Pty Ltd. The ethanol (ethyl alcohol) is commercial material obtained from the CSR Distilleries, Yarraville Victoria, Australia and is known as Ethanol 100SG/F3 which contains 3% methanol.

The following is a non-limiting example of a process to produce Composition 1 below according to the invention.

Diesel oil (85ml) is placed in a 100ml bottle at ambient temperature and pressure. Ethanol (10.0 ml) is added to the bottle creating an oil phase and an alcohol phase. Methyl oleate (5.0ml) is then added, a stopper applied to the top of the bottle and the resultant mixture is shaken for a period of approximately 30 seconds or such less or further period of time to allow proper mixing of the liquids to take place and a single phase to form. The mixture was allowed to stand to allow the contents to settle. A single phase is observed.

Substantially the same method is used to produce the other compositions detailed below.

Product blends were made (as percentage v/v) as follows.

	<u>Composition</u>	1
20	Diesel Oil	85.0
•	Ethanol	10.0
	Methyl Oleate	5.0
		100.0

25	Composition	<u>n 2</u>
	Diesel Oil	80.0
•	n-Propanol	13.5
	Methanol	1.5
· ·	Ethyl Oleate	_5.0
30		<u>100.0</u>

Composition 3 Diesel Oil 0.08 Ethanol 15.0 Ethyl Acetate _5.0 5 100.0 **Composition 4** Diesel Oil 0.08 Ethanol 15.0 10 Ethyl Tallowate __5.0 100.0 **Composition 5** Diesel Oil 82.0 15 Ethanol 15.0 **Butyl Benzoate** __3.0 100.0 Composition 6 20 Diesel Oil 82.0 Ethanol 15.0 Oleic Acid <u>3.0</u> 100.0 25 Composition 7 Diesel Oil 83.0 Ethanol 13.5 Iso-Propanol 1.5 Ethyl Oleate 2.0 30 100.0

		U	
		Composition	<u>8</u>
		Diesel Oil	81.0
		Ethanol	15.0
		Ethyl Tallowate	1.5
5		Ethyl Acetate	<u>2.5</u>
			100.0
		Composition	9
		Diesel Oil	80
10		Ethanol	14
	-	Methanol	1
		Ethyl Oleate	4
	•	Butyl Benzoate	_1
			<u>100</u>
15		<u>Composition</u>	10
	•	Gas Oil	 74.5
		Ethanol	20.0
		Oleic Acid	3.0
20		Iso-Propyl Oleate	_2.5
			<u>100.0</u>
		Composition 1	<u> </u>
		Diesel Oil	87.75
25		Ethanol	9.0
		Ethyl Oleate	_3.25
			<u>100.0</u>
		Composition 1	2
30		Diesel Oil	 94
		Ethanol	5
		Ethyl Oleate	_1
			<u>100</u>

<u>100</u>

	Composit	ion 13
	Diesel Oil	94.5
	Ethanol	5.0
	Ethyl Oleate	_0.5
5		100.0
	Compositi	<u>on 14</u>
	Diesel Oil	94.8
10	Ethanol	5.0
10	Ethyl Oleate	_0.2
		<u>100.0</u>
	Composition	<u>on 15</u>
	Diesel Oil	80
15	Ethanol	10
	Ethyl Oleate	5
	n-Butanol	_5
		100
20	Comments	•
	<u>Composition</u> Diesel Oil	
		79
	Ethanol	10
	Ethyl Oleate	6
25	Iso-Propanol	5
		<u>100</u>
	Composition	<u>17</u>
	Diesel Oil	74
	Ethanol	15
30	Ethyl Oleate	_11

	8	•
	Compositi	on 18
	Diesel Oil	94.8
	Ethanol	5.0
	Oleic Acid	<u>0.2</u>
5		<u>100.0</u>
	<u>Compositi</u>	<u>on 19</u>
	Diesel Oil	94
	Ethanol	5
10	Oleic Acid	_1
		<u>100</u>
	<u>Composition</u>	on 20
	Diesel Oil	88.5
15	Ethanol	10.0
	Oleic Acid	<u>1.5</u>
		<u>100.0</u>
•	<u>Compositio</u>	o <u>n 21</u>
20	Diesel Oil	82
	Ethanol	15
	Oleic Acid	3
		100
25	Compositio	n 22
	Diesel Oil	81.5
	Ethanol	15.0
	Ethyl Oleate	3.5
		100.0

Ethanol 20 Oleic Acid4 5 Composition 24 Diesel Oil		<u>Compositi</u>	Composition 23	
Oleic Acid		Diesel Oil	76	
Composition 24 Diesel Oil 74 Ethanol 20 Oleic Acid 3 Isopropyl Oleate 2 100		Ethanol	20	
Composition 24 Diesel Oil 74 Ethanol 20 Oleic Acid 3 Isopropyl Oleate 2 100 Composition 25 Diesel Oil 70 Ethanol 15 Methyl Cocoate 15 100 20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Ethanol 15 Methyl Cocoate 10 Methyl Cocoate 10		Oleic Acid	_4	
Diesel Oil 74 Ethanol 20 Oleic Acid 3. Isopropyl Oleate 2. 100: Composition 25	5		<u>100</u>	
Ethanol 20. Oleic Acid 3. Isopropyl Oleate 2. 100.		Composition	on 24	
10 Oleic Acid 3. Isopropyl Oleate 2. 100. Composition 25 Diesel Oil 70 Ethanol 15 Methyl Cocoate 15 100 20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Ethanol 15 Methyl Cocoate 15 Ethanol 15 Methyl Cocoate 15 Ethanol 15 Methyl Cocoate 10		Diesel Oil	74.5	
Solution 25 15 100.		Ethanol	20.0	
Composition 25	10	Oleic Acid	3.0	
Composition 25 Diesel Oil 70 Ethanol 15 Methyl Cocoate 15 100 20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 10 M		Isopropyl Olea	te <u>2.5</u>	
Diesel Oil 70 Ethanol 15 Methyl Cocoate 15 100 20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Methyl Cocoate 10			<u>100.0</u>	
Diesel Oil 70 Ethanol 15 Methyl Cocoate 15 100 20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Methyl Cocoate 10		<u>Composition</u>	n 25	
Methyl Cocoate 15 100 20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Methyl Cocoate 10	15			
20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Methyl Cocoate 10		Ethanol	15	
20 Composition 26 Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Methyl Cocoate 10		Methyl Cocoate	<u>15</u>	
Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 15 Methyl Cocoate 10			<u>100</u>	
Diesel Oil 77 Ethanol 15 Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 10	20	Composition	<u> 26</u>	
Methyl Cocoate 8 100 25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 10				
25 Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 10		Ethanol	15	
Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 10	•	Methyl Cocoate	<u>_8</u>	
Composition 27 Diesel Oil 75 Ethanol 15 Methyl Cocoate 10	25		<u>100</u>	
Diesel Oil 75 Ethanol 15 Methyl Cocoate 10	23	Composition	27	
Ethanol 15 Methyl Cocoate 10				
Methyl Cocoate 10				
30				
11N7	30	omyr ciocoate	100	

	Composition	Composition 28	
	Diesel Oil	78.5	
	Ethanol	0.5	
	Ethyl Oleate	6.5	
5	n-Propanol	14.5	
		100.0	
	Composition	20	
	Diesel Oil	<u>42</u> 85	
10	Ethanol	10	
	Methyl Oleate	_5	
	Monly Olcate	<u></u> 100	
	<u>Composition</u>	<u>30</u>	
15	Diesel Oil	77.5	
	Ethanol	15.0	
	Ethyl Oleate	5.0	
	Ethyl Acetate	<u>2.5</u>	
		<u>100.0</u>	
20	a	•	
	<u>Composition</u>		
	Diesel Oil	77	
	Ethanol	15	
15	Dioctyl maleate	8	
25		<u>100</u>	
	Composition 32		
	Diesel Oil	65	
	Ethanol	20	
30	Ethyl Oleate	<u>15</u>	
		<u>100</u>	

Composition 33

Diesel Oil 67
Ethanol 18
Ethyl Oleate 15
100

5 10

All of the above Compositions had a single phase demonstrating the effectiveness of the use of levels of fatty acids and/or organic esters or mixtures thereof to blend hydrocarbon liquids such as diesel oil and low-alkyl alcohols such as ethanol into one phase. These compositions were tested over the typical temperatures in which normal fuels are to perform and were not found to be temperature sensitive.

In each of the Compositions listed above, the blend of diesel oil and low alkyl alcohol is in one phase and the blend was found to operate satisfactorily as a fuel.

Volkswagon Engine: A 1979 Volkswagon "Golf" 4 cylinder 1.5 litre diesel engine was tested over the several months on Composition No 15. The engine was tested under normal
 operating conditions and no decrease in either power or fuel efficiency was noticed.

<u>Prime Mover Engine</u>: A modern Mercedes Benz Prime Mover Engine Type 2228V Series was tested on Composition No 4, under typical 40 tonne loads. There was no noticeable decrease in either power or fuel efficiency of the engine.

Fork Lift Engine: A 4 cylinder Yale Forklift (Model GDP 050 RUAS) (with a) 44HP (2400 rpm) Mazda XA series diesel motor engine was tested under typical warehouse operating conditions on Composition Nos 15 and 21 over several months. As well as no difference being noted in the efficiency of the forklift engine, the use of the ethanol blend is likely to be more acceptable in the enclosed warehouse atmosphere.

In respect of each of the above compositions, a fuel additive composition can be formed of the low-alkyl alcohol and the fatty acid and/or organic ester which may be added to the hydrocarbon liquids.

Fuel Additive Compositions

30

The Additive Composition is illustrated by the following non-limiting examples. The following is a non-limiting example of a process to produce Additive Composition 1 below according to the invention.

Ethanol (66.7 ml) is placed in a 100 ml bottle at ambient temperature and pressure. Methyl Oleate (33.3 ml) is added to the bottle to form a clear Additive Composition 1. Additive Composition 1 (15 ml) is then added to diesel oil (85 ml), a stopper applied to the top of the bottle and the resultant mixture is shaken for a period of approximately 30 seconds or

less or for the period of time to allow proper mixing of the liquids to take place and a single phase to form.

Substantially the same method is used to produce other Additive Compositions as detailed below.

Additive Compositions were made (as percentages v-v) as follows:

Additive Composition 1

Ethanol

66.7

Methyl Oleate

<u>33.3</u>

10

<u>100.0</u>

Additive Composition 1 (15 ml) was added to diesel oil (85 ml).

Additive Composition 2

Ethanol

75

Ethyl Tallowate

<u>25</u>

15

20

100

Additive Composition 2 (20 ml) was added to diesel oil (80 ml).

Additive Composition 3

Ethanol

79.4

Ethyl Oleate

11.8

Iso Propanol

<u>8.8</u>

100.0

Additive Composition 3 (17 ml) was added to diesel oil (83 ml).

Additive Composition 4

Ethanol

78.9

Ethyl Acetate

13.2

Ethyl Tallowate

<u>7.9</u>

5

10

15

20

<u>100.0</u>

Additive Composition 4 (19 ml) was added to diesel oil (81 ml).

Additive Composition 5

Ethanol

50

Ethyl Oleate

25

n Butanol

<u>25</u>

<u>100</u>

Additive Composition 5 (20 ml) was added to diesel oil (80 ml).

Additive Composition 6

Ethanol

83.3

Oleic Acid

16.7

100.0

Additive Composition 6 (24 ml) was added to diesel oil (76 ml).

Additive Composition 7

Ethanol

78.4

Oleic Acid

11.8

Iso Propyl Oleate

<u>9.8</u>

100.0

Additive Composition 7 (25.5 ml) was added to diesel oil (74.5 ml).

15

14

Additive Composition 8

Ethanol

50

Methyl Cocoate

<u>50</u> 100

5 Additive Composition 8 (30 ml) was added to diesel oil (70 ml).

Additive Composition 9

Ethanol

66.7

Ethyl Acetate

11.1

Ethyl Oleate

<u>22.2</u>

100.0

Additive Composition 9 (22.5 ml) was added to diesel oil (77.5 ml).

Additive Composition 10

Ethanol

57.2

Ethyl Oleate

<u>42.8</u>

100.0

Additive Composition 10 (35 ml) was added to diesel oil (65 ml).

The resultant mixtures were allowed to stand to allow the contents to settle. All of the resultant mixtures had a single phase throughout the typical temperature range in which normal fuels are to perform and were found not to be temperature sensitive.

The claims defining the invention are as follows:

- A fuel blend composition including a hydrocarbon liquid as hereinbefore defined, up to 20% of the total composition of ethanol and/or n-propanol and up to 15% by volume of the total composition of a fatty acid and/or organic ester.
- 5 2. A fuel blend composition according to claim 1 wherein the fatty acid and/or organic ester component is between 1.5% 11% by volume of the total composition.
 - 3. A fuel blend composition according to claim 1 wherein the fatty acid and/or organic ester component is between 2% 5% by volume of the total composition.
- 4. A fuel blend composition according to any of claims 1 to 3 wherein the fatty acid is derived from natural oils and fats or vegetable oils or is produced by synthetic means or any mixtures thereof.
 - A fuel blend composition according to claim 4 wherein the natural oils and fats are lard and tallow.
- 6. A fuel blend composition according to claim 4 wherein the vegetable oils are derived from canola, palm, corn, sunflower oil or soya bean oils.
 - 7. A fuel blend composition according to any of the claims 1 to 3 wherein the organic ester is selected from fatty acids, aromatic esters and/or aliphatic esters and any mixtures thereof.
- 8. A fuel blend composition according to claim 7, additionally including a dicarboxylic acid ester.
 - 9. A fuel blend composition according to claim 7 wherein the fatty acids are selected from ethyl oleate, methyl oleate, ethyl tallowate, iso-propyl oleate, butyl oleate, methyl oleate or methyl cocoate.
- 10. A fuel blend composition according to claim 7 wherein the aromatic esters are selected from butyl benzoate and ethyl acetate.
 - A fuel blend composition according to claim 7 wherein the dicarboxylic acid ester is dioctyl maleate.
 - 12. A fuel blend composition according to any of the previous claims further including methanol, iso-propanol, butanol, iso-butanol, tertiary butanol and mixtures thereof.
- 30 13. A fuel blend composition according to any of the previous claims wherein the hydrocarbon liquid is at least 40% by volume of the total composition.
 - 14. A fuel blend composition according to any of the previous claims wherein the hydrocarbon liquid is between 75% - 85% by volume of the total composition.


- 15. A process for producing a single phase fuel blend composition according to any one of claims 1 to 14 including the steps of:
 - a) adding the ethanol and/or n-propanol alcohol to the hydrocarbon liquid to form an alcohol phase and an oil phase; thereafter
 - (b) adding the mixture of step (a) to the fatty acid and/or organic ester; and
 - (c) mixing the resultant mixture until a single phase is formed.
- 16. A process for producing a single phase fuel blend according to any one of claims 1 to 14 including the steps of:
 - (a) adding the ethanol and/or n-propanol to the fatty acid and/or organic ester; thereafter
 - (b) adding the mixture of step(a) to the hydrocarbon liquid; and
 - (c) mixing the resultant mixture until a single phase is formed;
- 17. A fuel blend composition as hereinbefore described by reference to any of the examples.
- 15 18. A fuel additive composition including ethanol and/or n-propanol and a fatty acid and/or organic ester in respective amounts ranging from a ratio of 25:1 to 1:1.
 - 19. A fuel blend composition including the hydrocarbon liquid and up to 35% of the fuel additive composition as in claim 18.
- 20. A fuel additive composition as hereinbefore described by reference to any of the examples.

A.	CLASSIFICATION OF SUBJECT MATT	ER	
Int. Cl.	C10L 1/02, 1/10, 1/18		
	to International Patent Classification (IPC) or to	both national classification and IPC	
В.	FIELDS SEARCHED		
Minimum d IPC: C10	locumentation searched (classification system for L 1/02, 1/18	llowed by classification symbols)	
AU : IPC	tion searched other than minimum documentation as above	n to the extent that such documents are included	in the fields searched
Electronic d	ata base consulted during the international searc	h (name of data base, and where practicable, sea	arch terms used)
C.	DOCUMENTS CONSIDERED TO BE REL	EVANT	
Category*	Citation of document, with indication, whe	re appropriate, of the relevant passages	Relevant to Claim No.
x	US,A, 4248182 (MALEC) 3 February 19	•	(1-4, 9-12)
x	GB,A, 2090612 (INSTITUT FRANCAIS (14.07.82) See claim 4	DU PETROLE) 14 July 1982	
Α	US,A, 4920691 (FAINMAN) 1 May 199	0 (01 05 00)	(1, 12,13)
A	US,A, 5203878 (WOOMER et al) 20 Apr	· ·	
X Furthe in the	r documents are listed continuation of Box C.	X See patent family annex.	
"A" documinot con earlier internar docume or which another docume exhibiti "P" docume but later	categories of cited documents: ent defining the general state of the art which is sidered to be of particular relevance document but published on or after the tional filing date. ent which may throw doubts on priority claim(s) his cited to establish the publication date of citation or other special reason (as specified) ent referring to an oral disclosure, use, on or other means ant published prior to the international filing date of than the priority date claimed	"Y" document of particular rel	levance; the claimed dered novel or cannot be myentive step when the levance; the claimed dered to involve an ocument is combined ch documents, such s to a person skilled in
26 September	al completion of the international search 1994 (26.09.94)	Date of mailing of the international search rep	0.94)
	ng address of the ISA/AU INDUSTRIAL PROPERTY ORGANISATION 2606	Authorized officer G. Carter	e
acsimile No. 00	5 2853929	Telephone No. (06) 2832154	



INTERNATIONAL SEARCH REPORT

C(Continual	Citation of document, with indication, where appropriate of the relevant passages	Relevant to Claim No.
Α .	US,A, 3672854 (ROSENWALD et al) 27 June 1972 (27.06.72)	
Α	US,A, 3667152 (ECKERT) 6 June 1972 (06.06.72)	
Y,A	GB,A, 2090611 (INSTITUT FRANCAIS DU PETROLE) 14 July 1982 (14.07.82)	(1-13)
A	WO, A, 93 24593 (GREENBRANCH ENTERPRISES, INC,) 9 December 1993 (09.12.93)	
A	AU,B, 24129/45 (131778) (VACUUM OIL COMPANY PTY. LTD.) 31 March 1949 (31.03.49)	
A	AU,A, 77656/81 (MASSEY-FERGUSON PERKINS LIMITED) 27 May 1982 (27.05.82)	
Y,A	GB,A, 2090613 ((INSTITUT FRANCAIS DU PETROLE) 14 July 1982 (14.07.82)	(1-13)



This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information. Patent Document Cited in Search Patent Flamily Member Report US 4248182 GB 2090612 DE 3150989 FR 2497223 BR 8108111 BR 8108559 DE 3149170 DE 3150988 FR 2498622 GB 2090611 GB 2090613 FR 2496119 FR 2497222 US 4920691 US 5203878 AU 40342/93 IL 105415 WO 9322406 US 3672854 US 3667152 BE 750440 ΑT 301730 DE 2022585 ES 379969 GB 1264058 NL 7007393 FR 2047632 ZA 7002969 GB 2090611 BR 8108111 DE 3149170 FR 2496119 BR 8108488 8108559 BR DE 3150988 DE 3150989 FR 2498622 GB 2090612 GB 2090613 FR 2497223 FR 2497222 WO 9324593 AU 43971/93 AU 77656/81 NZ 198995 GB 2090613 BR 8108559 DE 3150988 FR 2497222 BR 8108111 BR 8108488 DE 3149170 DE 3150989 FR 2498622 GB 2090611 GB 2090612 FR 2496119 FR 2497223 END OF ANNEX

THIS PAGE BLANK (USPTO)